



Demand more. Choose Foster

BCFT11

BCFT11 Blast Chiller/Freezer Cabinet



Temperature



Blast Chiller - Freezer
70/-18 C

Dimensions (mm)

W 700 D 800
H 890

Capacity

11 Freezing (Kg)

Features & Benefits

The Foster tray loading blast chiller range provides the ideal way to ensure quality and food safety is maximised in every kitchen, large or small

- High Quality 304 Stainless Steel Exterior Build Quality
- Capable of blast chilling from +7 °C to +3 °CC in 90 minutes
- Easy programme selection - menu driven dial lets you simply turn to select the programme and push to start
- HACCP software is available as an option in 3 formats for data retrieval and management
- Bottom mounted refrigeration system ensures stability and helps performance

Supplied as Standard Optional Not Available Yes No **P** Information pending

External Finish

- 304 Stainless Steel
- 304 Stainless Steel Rear For Island Siting

Internal Finish

- 304 Stainless Steel

Shelving

- Additional Shelf
- Stainless Steel Gastronorm 1/1 Shelf
- Nylon Coated Gastronorm 1/1 Shelf

Doors

- Solid Full
- Hinged - Right Hand
- Hinged - Left Hand

Base Fittings

- 80mm Castors
- Legs
- Levelling Bolts

Refrigeration

- Integral
- Remote - less condensing unit
- R404a
- Noise DBA

Drain Required? (N)

Electrical Data & Service Information

| | |
|---------------------|----------------------------------|
| 230 Volts | <input checked="" type="radio"/> |
| 50Hz | <input checked="" type="radio"/> |
| 60Hz | <input type="radio"/> |
| 1 Phase | <input checked="" type="radio"/> |
| kW per 90 min Cycle | 2.8 |
| Watts | P |
| Fuse Required | 13 amp |

Product Extras

| | |
|------------------------------------|----------------------------------|
| Door Pull Handle | <input checked="" type="radio"/> |
| Hold Facility | <input checked="" type="radio"/> |
| Temperature Probe | <input checked="" type="radio"/> |
| Infra-Red Data Download | <input type="radio"/> |
| Hardwired Logging System Interface | <input type="radio"/> |

Foot Notes

- Chilling Capacity - 11 KG, Freezing Capacity - 11 KG. Chilling capacity 70 °C to 3°C in less than 90 minutes within specifications, entry temperature up to 90 °C for chilling. Freezing capacity from + 70 °C to -18 °C in less than 240 minutes within specificat

Contact

Foster Refrigerator

Oldmedow Road
King's Lynn
Norfolk
PE30 4JU
United Kingdom

Telephone: **0843 216 8800**

Facsimile: **0843 216 4700**

sales@foster-uk.com



In all cases Foster meets the Best Practice Specification so delivering Quick Wins



GUARANTEEING YOU THE GREENEST REFRIGERATION AVAILABLE